2c2

< // Swift source code of main.swift Version 8.1.5 at greenchess.com //
- - -

> // Swift source code of main.swift Version 8.1.4 at greenchess.com // 641,656c641,644
< // the current diagram position //
< var CurrentDiagramPosition:Int = 0
<

< // a list of diagram paths for drawing //
< var DiagramPaths:[CGMutablePath] = []
<

< // a list of diagram path colors //
< var DiagramPathColors:[CGColor] = []
<

< // the diagram path location //
< var PathLocation:NSPoint = CGPoint()
<

< // the chess board //
< @IBOutlet var Board:GreenChess!

<

< // the core graphics context //
- - -

> // the window resolution scale //
> var Scale:CGFloat = 2
>

> // the cg context //
659,661d646
< // the snapshot image representation //
< var SnapshotImageRep:NSBitmapImageRep!
<

665,666c650,651
< // set that not initially a valid path //
< var ValidPath:Bool = false

- - -

> // set that not initially a valid shape //
> var ValidShape:Bool = false
670a656,658
> // set that haven't initially entered tracking rectangle //
> var Entered:Bool = false
>

674,675c662,663
< // the current cursor location //
< var Cursor:NSPoint = NSPoint()
- - -

> // the shape layers //
> var Shapes:[CAShapeLayer] = []
677,678c665,666
< // the previous location //
< var PreviousLocation:NSPoint = NSPoint()
- - -

> // a shape layer //
> var Shape:CAShapeLayer = CAShapeLayer()
680,681c668,669
< // the rectangles to draw the boards in //
< var Rects:[CGRect] = []
- - -

> // a shape path //
> var ShapePath:CGMutablePath = CGMutablePath()
683,690c671,672
< // the core graphics view bounds //
< var ViewBounds:CGRect = CGRect(x:0, y:0, width:1, height:1)
<

< // the shifted core graphics view bounds //
< var ShiftedViewBounds:CGRect = CGRect(x:0, y:0, width:1, height:1)
<

< // the board bounds //
< var BoardBounds:CGRect = CGRect(x:0, y:0, width:1, height:1)
- - -

> // the animation duration //
> var Duration:CGFloat = 1.0
692,696c674,678
< // the window resolution scale //
< var Scale:CGFloat = 2
<

< // the board size //
< var BoardSize:CGFloat = 0

- - -

> // the snapshot bitmap image representation //
> var SnapshotBitmap:NSBitmapImageRep!
>

> // the starting x value //
> var StartX:CGFloat = 0
698,699c680,681
< // the frame size //
< var FrameSize:CGFloat = 0

- - -

> // whether going right or not //
> var GoingRight:Bool = false
701,702c683,684
< // the gallery frames //
< var Frames:[CGLayer] = []
- - -

> // the animation start time //
> var StartTime:Date = Date()
704,705c686,687
< // the gallery layer //
< var GalleryLayer:CGLayer!
- - -

> // the elapsed time of the animation //
> var ElapsedTime:CGFloat = 0
707,708c689,690
< // the diagram layer for drawing //
< var DiagramLayer:CGLayer!
- - -

> // whether animating or not //
> var Animating:Bool = false
709a692,694
> // whether reviewing or not //
> var Reviewing:Bool = false
>

715,720d699
<

< // a list index //
< var Index:Int = 0
<

< // the number of frames that can span the width of the view //
< var FramesWide:Int = 0
722,723c701,702
< // the current position in the gallery //
< var CurrentPosition:Int = 0

- - -

> // create an animation layer //
> var AnimationLayer:CALayer = CALayer()
725,726c704,705
< // the maximum position possible in the gallery //
< var MaxPosition:Int = 0

- - -

> // create an animation //
> var Animation:CABasicAnimation = CABasicAnimation(keyPath:"position")
728,729c707,708
< // the maximum number of frames in the gallery //
< var MaxFrames:Int = 0

- - -

> // the x location value //
> var X:CGFloat = 0
731,732c710,714
< // whether is a wraparound gallery or not //
< var Wraparound:Bool = false
- - -

> // the y location value //
> var Y:CGFloat = 0
>

> // the x location center of the animation layer //
> var CenterX:CGFloat = 0
734,735c716,717
< // whether reviewing gallery or not //
< var Reviewing:Bool = false
- - -

> // the maximum animation layer offset //
> var MaxOffset:CGFloat = 0
737,738c719,720
< // whether recording movie //
< var RecordingMovie:Bool = false
- - -

> // the image width //
> var ImageWidth:CGFloat = 0
740,741c722,723
< // the diagram cursor //
< var DiagramCursor:NSCursor = NSCursor()
- - -

> // the width of one frame in the animation //
> var FrameWidth:CGFloat = 0
743,744c725,726
< // the gallery diagram color //
< var GalleryColor:NSColor = NSColor()
- - -

> // the current image //
> var Image:CGImage!
746,757c728,729
< // clear the diagram the user drew on //
< func ClearDiagram()
< {
< // remove all the diagram paths //
< DiagramPaths.removeAll()
<

< // remove all the diagram path colors //
< DiagramPathColors.removeAll()
<

< // refresh the diagram layer //
< RefreshDiagramLayer()
< }
- - -

> // whether is a wraparound or not //
> var Wraparound:Bool = false
759,774c731,735
< // undo the diagram path //
< func UndoPath()
< {
< // if there is a diagram path to undo //
< if !DiagramPaths.isEmpty
< {
< // remove the last diagram path //
< DiagramPaths.removeLast()
<

< // remove the last diagram color //
< DiagramPathColors.removeLast()
< }
<

< // refresh the diagram layer //
< RefreshDiagramLayer()
< }
- - -

> // the diagram cursor //
> var DiagramCursor:NSCursor = NSCursor()
>

> // the chess board //
> @IBOutlet var Board:GreenChess!
776,777c737,738
< // update the gallery color //
< func UpdateGalleryColor(_ Color:String)
- - -

> // set the diagram cursor //
> func SetDiagramCursor(_ MarkerColor:String)
779,781d739
< // play the game sound of a click //
< Board.PlayGameSoundThread("click")
<

786c744

< DiagramCursor = NSCursor.init(image:NSImage(named:NSImage.Name("marker_\(Color)_icon"))!,
- - -

> DiagramCursor = NSCursor.init(image:NSImage(named:NSImage.Name("marker_\(MarkerColor)_icon"))!,
788,836d745
<

< // if the color is cyan //
< if Color == "cyan"
< {
< // set the gallery color to cyan //
< GalleryColor = NSColor.cyan
< }
< // if the color is blue //
< else if Color == "blue"
< {
< // set the gallery color to blue //
< GalleryColor = NSColor.blue
< }
< // if the color is yellow //
< else if Color == "yellow"
< {
< // set the gallery color to yellow //
< GalleryColor = NSColor.yellow
< }
< // if the color is black //
< else if Color == "black"
< {
< // set the gallery color to black //
< GalleryColor = NSColor.black
< }
< // if the color is white //
< else if Color == "white"
< {
< // set the gallery color to white //
< GalleryColor = NSColor.white
< }
< // if the color is magenta //
< else if Color == "magenta"
< {
< // set the gallery color to magenta //
< GalleryColor = NSColor.magenta
< }
< // if the color is green //
< else if Color == "green"
< {
< // set the gallery color to green //
< GalleryColor = NSColor.green
< }
< // if the color is red //
< else if Color == "red"
< {
< // set the gallery color to red //
< GalleryColor = NSColor.red
< }
839,840c748,749
< // the draw rect function //
< override func draw(_ Rect:NSRect)
- - -

> // set the current animation rate //
> func SetAnimationRate(_ AnimationRate:Int)
842,850c751,752
< // draw the galley layer into the current view context //
< NSGraphicsContext.current?.cgContext.draw(GalleryLayer, in:bounds)
<

< // if diagramming //
< if Diagramming
< {
< // draw the diagram layer into the current view context //
< NSGraphicsContext.current?.cgContext.draw(DiagramLayer, in:bounds)
< }
- - -

> // compute the duration for each frame to animate for //
> Duration = (101.0 - CGFloat(AnimationRate)) / 10.0
853,854c755,756
< // get the current location //
< func GetLocation(_ Event:NSEvent)
- - -

> // take a snapshot of the view //
> func TakeSnapshot()
856,880c758,759
< // get the location in the window //
< Location = Event.locationInWindow

<

< // save the cursor location //
< Cursor = Location

<

< // decrement the vertical offset of the gallery view due to the gallery slider position //
< Location.y -= 25
<

< // update the cursor //
< UpdateCursor()
<

< // keep the marker in bounds //
< KeepMarkerInBounds()
<

< // set the path location //
< PathLocation = CGPoint(x:(Location.x + FrameSize * CGFloat(CurrentPosition)) * Scale,
< y:Location.y * Scale)
< }
<

< // if the mouse entered the tracking rectangle //
< override func mouseEntered(with Event:NSEvent)
< {
< // update the cursor //
< Cursor = Event.locationInWindow

- - -

> // set the snapshot bitmap //
> SnapshotBitmap = bitmapImageRepForCachingDisplay(in:bounds)!
882,883c761,762
< // update the cursor //
< UpdateCursor()
- - -

> // draw the specified view into the bitmap representation //
> cacheDisplay(in:bounds, to:SnapshotBitmap)
886,887c765,766
< // if the mouse exited the tracking rectangle //
< override func mouseExited(with Event:NSEvent)
- - -

> // animation did start delegate //
> func animationDidStart(_ TheAnimation:CAAnimation)
889,890c768,772
< // update the cursor //
< Cursor = Event.locationInWindow

- - -

> // set the arrow cursor //
> NSCursor.arrow.set()
>

> // set that not currently a valid shape //
> ValidShape = false
892,893c774,775
< // update the cursor //
< UpdateCursor()
- - -

> // get the animation start time //
> StartTime = Date()
896,897c778,779
< // refresh the diagram layer //
< func RefreshDiagramLayer()
- - -

> // animation did stop delegate //
> func animationDidStop(_ TheAnimation:CAAnimation, finished Flag:Bool)
899,911c781,782
< // translate the diagram layer context to the current diagram position //
< DiagramLayer.context?.translateBy(x:CGFloat(CurrentDiagramPosition - CurrentPosition) *
< FrameSize * Scale, y:0)
<

< // set the current diagram position to the current position //
< CurrentDiagramPosition = CurrentPosition
<

< // clear the diagram layer context //
< DiagramLayer.context?.clear(CGRect(x:FrameSize * Scale * CGFloat(CurrentPosition), y:0, width:
< Width * Scale, height:Height * Scale))
<

< // loop over all the diagram paths //
< for Index in 0 ..< DiagramPaths.count
- - -

> // if in tracking rectangle and diagramming //
> if Entered && Diagramming
913,917c784,792
< // begin a new diagram path //
< DiagramLayer.context?.beginPath()
<

< // set the stroke color for this path //
< DiagramLayer.context?.setStrokeColor(DiagramPathColors[Index])
- - -

> // set the diagram cursor //
> DiagramCursor.set()
> }
>

> // set that no longer animating //
> Animating = false
>

> // update the gallery slider value //
> Board.GameGallerySlider.doubleValue = SliderValue()
919,923c794,801
< // add the path to the diagram layer context //
< DiagramLayer.context?.addPath(DiagramPaths[Index])
<

< // stroke the current path //
< DiagramLayer.context?.strokePath()
- - -

> // if x went past the minimum value or not reviewing //
> if (X <= -MaxOffset + CenterX) || !Reviewing
> {
> // set that no longer reviewing //
> Reviewing = false
>

> // set the gallery buttons to true //
> Board.SetGalleryButtonsToState(true)
925,927c803,804
<

< // if not recording a movie //
< if !RecordingMovie
- - -

> // if reviewing //
> else
929,930c806,807
< // update the display in the bounds //
< displayIgnoringOpacity(bounds)
- - -

> // go right in the game gallery //
> Board.GameGalleryRightAction(self)
934,935c811,812
< // override mouse down //
< override func mouseDown(with Event:NSEvent)
- - -

> // stop the animation //
> func StopAnimation()
937,938c814,815
< // if reviewing or not diagramming //
< if Reviewing || !Diagramming
- - -

> // if not animating //
> if !Animating
940,943c817
< // set that not a valid path //
< ValidPath = false
<

< // exit function since reviewing or not diagramming //
- - -

> // exit function since not animating //
946,948d819
<

< // get the current location //
< GetLocation(Event)
950,951c821,837
< // set that the current path is valid //
< ValidPath = true

- - -

> // get the elapsed time of the animation //
> ElapsedTime = min(Duration, CGFloat(abs(StartTime.timeIntervalSinceNow)))
>

> // if going right and the animation duration is greater than zero //
> if GoingRight && (Animation.duration > 0)
> {
> // set the new x location value //
> X += (CGFloat(Animation.duration) - ElapsedTime) / CGFloat(Animation.duration) *
> min(FrameWidth, abs(StartX - X))
> }
> // if going left and animation duration is greater than zero //
> else if !GoingRight && (Animation.duration > 0)
> {
> // set the new x location value //
> X -= (CGFloat(Animation.duration) - ElapsedTime) / CGFloat(Animation.duration) *
> min(FrameWidth, abs(StartX - X))
> }
953,969c839,840
< // play the sound of a marker pen starting to write //
< Board.PlayGameSoundThread("marker")
<

< // append a path to the diagram paths //
< DiagramPaths.append(CGMutablePath())
<

< // append a path color to the diagram path colors //
< DiagramPathColors.append(GalleryColor.cgColor)
<

< // set the diagram layer stroke color //
< DiagramLayer.context?.setStrokeColor(GalleryColor.cgColor)
<

< // move the diagram path to the first location //
< DiagramPaths[DiagramPaths.count - 1].move(to:PathLocation)
<

< // set the diagram path starting point in the context //
< DiagramLayer.context?.move(to:PathLocation)
- - -

> // remove the animation effects //
> CATransaction.setDisableActions(true)
971,972c842,849
< // save the location //
< PreviousLocation = Location

- - -

> // update the animation layer position //
> AnimationLayer.position = CGPoint(x:X, y:Y)
>

> // set that no longer reviewing //
> Reviewing = false
>

> // remove all the gallery view animations //
> AnimationLayer.removeAllAnimations()
975,976c852,853
< // override mouse dragged //
< override func mouseDragged(with Event:NSEvent)
- - -

> // if the mouse entered the tracking rectangle //
> override func mouseEntered(with Event:NSEvent)
978,982c855,859
< // get the current location //
< GetLocation(Event)
<

< // if reviewing or not diagramming or not a valid path //
< if Reviewing || !Diagramming || !ValidPath
- - -

> // set that entered the tracking rectangle //
> Entered = true
>

> // if diagramming and not animating //
> if Diagramming && !Animating
984,985c861,862
< // return since reviewing or not diagramming or not a valid path //
< return

- - -

> // set the cursor to the diagram cursor //
> DiagramCursor.set()
987,1000d863
<

< // process the diagram path //
< ProcessDiagramPath()
<

< // display the area that was drawn in //
< displayIgnoringOpacity(NSMakeRect(min(PreviousLocation.x - 4, Location.x - 4),
< min(PreviousLocation.y - 4, Location.y - 4), abs(PreviousLocation.x -
< Location.x) + 8, abs(PreviousLocation.y - Location.y) + 8))
<

< // move the diagram layer path to the path location //
< DiagramLayer.context?.move(to:PathLocation)
<

< // save the location //
< PreviousLocation = Location
1003,1004c866,867
< // process the diagram path //
< func ProcessDiagramPath()
- - -

> // if the mouse exited the tracking rectangle //
> override func mouseExited(with Event:NSEvent)
1006,1013c869,873
< // add a line to the diagram path location //
< DiagramPaths[DiagramPaths.count - 1].addLine(to:PathLocation)
<

< // add a line to the diagram layer context path //
< DiagramLayer.context?.addLine(to:PathLocation)
<

< // stroke the diagram layer path //
< DiagramLayer.context?.strokePath()
- - -

> // set that no longer in the tracking rectangle //
> Entered = false
>

> // set the cursor back to the arrow cursor //
> NSCursor.arrow.set()
1015,1017c875,877
<

< // override mouse up //
< override func mouseUp(with Event:NSEvent)
- - -

>

> // get the current location //
> func GetLocation(_ Event:NSEvent)
1019,1023c879,889
< // get the current location //
< GetLocation(Event)
<

< // if reviewing or not diagramming or not a valid path //
< if Reviewing || !Diagramming || !ValidPath
- - -

> // get the location in the window //
> Location = Event.locationInWindow

>

> // adjust the location x value //
> Location.x += CenterX - X - frame.origin.x
>

> // adjust the location y value //
> Location.y -= frame.origin.y
>

> // if the location x value is too low //
> if Location.x <= CenterX - X
1025,1026c891,892
< // return since not reviewing or not diagramming or not a valid path //
< return

- - -

> // reset the location x value //
> Location.x = CenterX - X + 3.0
1028,1046c894,896
<

< // process the diagram path //
< ProcessDiagramPath()
<

< // set that no longer a valid path //
< ValidPath = false
<

< // refresh the diagram layer //
< RefreshDiagramLayer()
< }
<

< // take a snapshot of the gallery //
< func GallerySnapshot() -> NSBitmapImageRep
< {
< // draw the gallery layer into the context //
< Context.draw(GalleryLayer, in:ViewBounds)
<

< // if diagramming //
< if Diagramming
- - -

>

> // if location y value is too low //
> if Location.y <= 0
1048,1049c898,899
< // draw the diagram layer into the context //
< Context.draw(DiagramLayer, in:ViewBounds)
- - -

> // reset the location y value //
> Location.y = 3.0
1051,1066c901,903
<

< // get the snapshot image representation from the context //
< SnapshotImageRep = NSBitmapImageRep(cgImage:Context.makeImage()!)
<

< // set the snapshot image representation size //
< SnapshotImageRep.size = bounds.size
<

< // return the bitmap image rep //
< return SnapshotImageRep
< }
<

< // convert a boolean to an integer //
< func BoolToInt(_ BoolVar:Bool) -> Int
< {
< // if boolean is true //
< if BoolVar

- - -

>

> // if the location x value is too high //
> if Location.x >= Width + CenterX - X
1068,1069c905,906
< // return one //
< return 1

- - -

> // reset the location x value //
> Location.x = Width + CenterX - X - 3.0
1071c908,923
< // boolean is false //
- - -

>

> // if the location y value is too high //
> if Location.y >= Height
> {
> // reset the location y value //
> Location.y = Height - 3.0
> }
>

> // if location is inside the tracking rectangle //
> if Location.x > (CenterX - X + 3.0) && Location.x < (Width + CenterX - X - 3.0) && Location.y
> > 3.0 && Location.y < (Height - 3.0)
> {
> // set the diagram cursor //
> DiagramCursor.set()
> }
> // location is outside the tracking rectangle //
1074,1075c926,927
< // return zero //
< return 0

- - -

> // set the arrow cursor //
> NSCursor.arrow.set()
1079,1080c931,932
< // create a cg layer of the given size //
< func CGLayerOfSize(_ Width:CGFloat, Height:CGFloat) -> CGLayer
- - -

> // undo a shape //
> func UndoShape()
1082,1096c934,938
< // return a cg layer of the given size /
< return CGLayer(CGContext(data:nil, width:Int(Width), height:Int(Height), bitsPerComponent:8,
< bytesPerRow:0, space:CGColorSpaceCreateDeviceRGB(), bitmapInfo:CGImageAlphaInfo
< .noneSkipFirst.rawValue)!, size:CGSize(width:Width, height:Height), auxiliaryInfo:
< nil)!
< }
<

< // add a new frame //
< func AddFrame(_ FrameNumber:Int, Layer:CGLayer)
< {
< // draw in a new frame //
< Frames[FrameNumber].context?.draw(Layer, in:CGRect(x:0, y:0, width:BoardSize, height:BoardSize))
<

< // the max number of frames //
< MaxFrames = FrameNumber + 1

- - -

> // if there is a shape to undo //
> if Shapes.count > 0
> {
> // remove the shape layer from the super layer //
> Shapes[Shapes.count - 1].removeFromSuperlayer()
1098,1099c940,942
< // set the maximum gallery frame position //
< MaxPosition = max(MaxFrames - FramesWide * (BoolToInt(Wraparound) + 1), 0)
- - -

> // remove most current shape from the shape list //
> Shapes.removeLast()
> }
1102,1103c945,946
< // go left in the game gallery //
< func GoLeft()
- - -

> // erase all the shapes //
> func EraseShapes()
1105,1119c948,949
< // invalidate the diagram path //
< ValidPath = false
<

< // if the current position is greater than zero //
< if CurrentPosition > 0
< {
< // decrement the current position //
< CurrentPosition -= 1

<

< // update the gallery //
< UpdateGallery()
< }
<

< // if the game gallery slider double value is other than zero //
< if Board.GameGallerySlider.doubleValue != 0
- - -

> // loop over all the shapes //
> for Index in 0 ..< Shapes.count
1121,1122c951,952
< // update the game gallery slider to the current position //
< Board.GameGallerySlider.intValue = Int32(CurrentPosition)
- - -

> // remove the shape from the super layer //
> Shapes[Index].removeFromSuperlayer()
1123a954,956
>

> // remove all the shapes from the shape list //
> Shapes.removeAll()
1126,1127c959,960
< // update the cursor //
< func UpdateCursor()
- - -

> // override mouse down //
> override func mouseDown(with Event:NSEvent)
1129,1131c962,963
< // if the cursor is outside the tracking rectangle or reviewing or not diagramming //
< if Cursor.x < 0 || Cursor.x > Width || Cursor.y < 25 || Cursor.y > Height + 25 || Reviewing ||
< !Diagramming
- - -

> // if animating or not diagramming //
> if Animating || !Diagramming
1133,1140c965,966
< // set the arrow cursor //
< NSCursor.arrow.set()
< }
< // inside the tracking rectangle and diagramming and not reviewing //
< else
< {
< // set the diagram cursor //
< DiagramCursor.set()
- - -

> // exit function since animating or not diagramming //
> return

1141a968,1009
>

> // set that the current shape is valid //
> ValidShape = true
>

> // play the sound of a marker pen starting to write //
> Board.PlayGameSoundThread("marker")
>

> // get the location for the shape //
> GetLocation(Event)
>

> // create a shape layer //
> Shape = CAShapeLayer()
>

> // create a new mutable shape path //
> ShapePath = CGMutablePath()
>

> // set the shape line width //
> Shape.lineWidth = 4
>

> // set the shape line cap style to round //
> Shape.lineCap = CAShapeLayerLineCap(rawValue:"kCALineCapRound")
>

> // set the shape line join style to round //
> Shape.lineJoin = CAShapeLayerLineJoin(rawValue:"kCALineJoinRound")
>

> // set the shape stroke color //
> Shape.strokeColor = Board.GalleryColor.cgColor
>

> // set the shape fill color //
> Shape.fillColor = NSColor.clear.cgColor
>

> // set the shape path starting point //
> ShapePath.move(to:CGPoint(x:Location.x, y:Location.y))
>

> // assign the shape path to the shape //
> Shape.path = ShapePath
>

> // append a new shape layer //
> Shapes.append(Shape)
>

> // add the new shape layer to the animation layer //
> AnimationLayer.addSublayer(Shape)
1144,1145c1012,1013
< // go right in the game gallery //
< func GoRight()
- - -

> // override mouse dragged //
> override func mouseDragged(with Event:NSEvent)
1147,1176c1015,1016
< // invalidate the diagram path //
< ValidPath = false
<

< // if the current position is less than the maximum position //
< if CurrentPosition < MaxPosition
< {
< // increment the current position by one //
< CurrentPosition += 1

<

< // if reached the maximum position and reviewing the gallery //
< if CurrentPosition == MaxPosition && Reviewing
< {
< // stop the gallery review timer //
< Board.GalleryReviewTimer.invalidate()
<

< // set that no longer reviewing //
< Reviewing = false
<

< // set the gallery buttons to state true //
< Board.SetGalleryButtonsToState(true)
<

< // update the cursor //
< UpdateCursor()
< }
<

< // update the gallery //
< UpdateGallery()
< }
< // if already at maximum position and reviewing gallery //
< else if Reviewing
- - -

> // if animating or not diagramming or not a valid shape //
> if Animating || !Diagramming || !ValidShape
1178,1182c1018,1019
< // set the current position to zero //
< CurrentPosition = 0

<

< // update the gallery //
< UpdateGallery()
- - -

> // return since animating or not diagramming or not a valid shape //
> return

1183a1021,1023
>

> // get the location for the shape //
> GetLocation(Event)
1185,1190c1025,1029
< // if the game gallery slider double value is other than the maximum position or reviewing //
< if Board.GameGallerySlider.doubleValue != Double(MaxPosition) || Reviewing
< {
< // update the game gallery slider to the current value //
< Board.GameGallerySlider.intValue = Int32(CurrentPosition)
< }
- - -

> // add the line to the shape path //
> ShapePath.addLine(to:CGPoint(x:Location.x, y:Location.y))
>

> // assign the shape path to the shape //
> Shapes[Shapes.count - 1].path = ShapePath
1193,1194c1032,1033
< // create a movie frame //
< func MovieFrame() -> CGImage
- - -

> // override mouse up //
> override func mouseUp(with Event:NSEvent)
1196,1197c1035,1036
< // if not set to recording movie //
< if !RecordingMovie
- - -

> // if animating or not diagramming or not a valid shape //
> if Animating || !Diagramming || !ValidShape
1199,1203c1038,1042
< // set the current position to zero //
< CurrentPosition = 0

<

< // set that recording a movie //
< RecordingMovie = true
- - -

> // set that no longer a valid shape //
> ValidShape = false
>

> // return since not animating or not diagramming or not a valid shape //
> return

1204a1044,1052
>

> // get the location for the shape //
> GetLocation(Event)
>

> // add the line to the shape path //
> ShapePath.addLine(to:CGPoint(x:Location.x, y:Location.y))
>

> // assign the shape path to the shape //
> Shapes[Shapes.count - 1].path = ShapePath
1206,1207c1054,1095
< // if is the first position of zero //
< if CurrentPosition == 0

- - -

> // set that no longer a valid shape //
> ValidShape = false
> }
>

> // create the gallery image //
> func CreateGalleryImage(FrameCount:Int)
> {
> // set that not currently animating //
> Animating = false
>

> // set that not currently reviewing //
> Reviewing = false
>

> // set that not currently diagramming //
> Diagramming = false
>

> // set that currently not a valid shape //
> ValidShape = false
>

> // set the gallery buttons to true //
> Board.SetGalleryButtonsToState(true)
>

> // set that want to rasterize the animation layer //
> AnimationLayer.shouldRasterize = true
>

> // set the animation layer rasterization to the window scale //
> AnimationLayer.rasterizationScale = Scale
>

> // allow the animation layer to draw asynchronously //
> AnimationLayer.drawsAsynchronously = true
>

> // set the animation layer contents scale to the window scale //
> AnimationLayer.contentsScale = Scale
>

> // get the view height //
> Height = frame.size.height
>

> // get the view width //
> Width = frame.size.width

>

> // if for a wraparound //
> if Wraparound
1209,1218c1097,1098
< // loop over all the boards for the current gallery view //
< for Index in 0 ..< FramesWide * (BoolToInt(Wraparound) + 1)
< {
< // if the current board position is less than the maximum value allowed //
< if Index + CurrentPosition < MaxFrames

< if Index + CurrentPosition < MaxFrames
< {
< // draw the frame into the specified rectangle in the view //
< GalleryLayer.context?.draw(Frames[CurrentPosition + Index], in:Rects[Index])
< }
< }
- - -

> // set the image width for a wraparound //
> ImageWidth = max(FrameWidth * CGFloat(FrameCount) - Width, Width)
1220c1100

< // if not the first position in the gallery //
- - -

> // for a gallery //
1223,1236c1103,1104
< // shift the gallery layer to the left by one frame //
< GalleryLayer.context?.draw(GalleryLayer, in:ShiftedViewBounds)
<

< // draw the rightmost frame //
< GalleryLayer.context?.draw(Frames[CurrentPosition + FramesWide - 1], in:Rects[FramesWide -
< 1])
<

< // if for a wraparound gallery //
< if Wraparound
< {
< // draw the rightmost frame if have a wraparound gallery //
< GalleryLayer.context?.draw(Frames[CurrentPosition + FramesWide * 2 - 1], in:
< Rects[FramesWide * 2 - 1])
< }
- - -

> // set the image width for a gallery //
> ImageWidth = max(FrameWidth * CGFloat(FrameCount), Width)
1239,1240c1107,1108
< // draw the gallery layer into the context //
< Context.draw(GalleryLayer, in:ViewBounds)
- - -

> // get the x location center of the animation layer //
> CenterX = ImageWidth / 2.0
1242,1243c1110,1111
< // refresh the diagram layer //
< RefreshDiagramLayer()
- - -

> // set the maximum animation layer offset value //
> MaxOffset = ImageWidth - Width
1245,1250c1113,1122
< // if diagramming //
< if Diagramming
< {
< // draw the diagram layer into the view bounds //
< Context.draw(DiagramLayer, in:ViewBounds)
< }
- - -

> // set the x initial location //
> X = CenterX
>

> // set the y location //
> Y = Height / 2.0
>

> // set the context for the image //
> Context = CGContext(data:nil, width:Int(ImageWidth * Scale), height:Int(Height * Scale),
> bitsPerComponent:8, bytesPerRow:0, space:CGColorSpaceCreateDeviceRGB(),
> bitmapInfo:CGImageAlphaInfo.noneSkipFirst.rawValue)!
1252,1253c1124,1125
< // increment the current position //
< CurrentPosition += 1

- - -

> // set the animation layer bounds //
> AnimationLayer.bounds = CGRect(x:0, y:0, width:ImageWidth, height:Height)
1255,1256c1127,1134
< // return a context cg image //
< return Context.makeImage()!
- - -

> // set the animation delegate //
> Animation.delegate = self
>

> // add a tracking rectangle for the cursor //
> TrackingRectangle = addTrackingRect(bounds, owner:self, userData:nil, assumeInside:false)
>

> // disable the cursor rectangles //
> window!.disableCursorRects()
1259,1260c1137,1138
< // erase the gallery //
< func EraseGallery()
- - -

> // finish up the gallery image //
> func FinishUpGalleryImage()
1262,1263c1140,1144
< // set that no longer reviewing the gallery //
< Reviewing = false
- - -

> // get the image from the context //
> Image = Context.makeImage()!
>

> // remove the animation effects //
> CATransaction.setDisableActions(true)
1265,1269c1146,1172
< // remove the tracking rectangle //
< removeTrackingRect(TrackingRectangle)
<

< // loop over all the frames //
< for Index in 0 ..< MaxFrames

- - -

> // set the animation layer contents to the image //
> AnimationLayer.contents = Image
>

> // reset the context to empty //
> Context = CGContext(data:nil, width:Int(Scale), height:Int(Scale), bitsPerComponent:8,
> bytesPerRow:0, space:CGColorSpaceCreateDeviceRGB(), bitmapInfo:
> CGImageAlphaInfo.noneSkipFirst.rawValue)!
> }
>

> // add a frame //
> func AddFrame(_ FrameNumber:Int)
> {
> // if in the game wraparound //
> if Wraparound
> {
> // draw the frame into the top row of the wraparound context //
> Context.draw(Board.CGLayersBoardWithPieces[1], in:CGRect(x:FrameWidth * Scale *
> CGFloat(FrameNumber), y:FrameWidth * Scale, width:FrameWidth * Scale, height:
> FrameWidth * Scale))
>

> // draw the frame into the bottom row of the wraparound context //
> Context.draw(Board.CGLayersBoardWithPieces[1], in:CGRect(x:Scale * (FrameWidth *
> CGFloat(FrameNumber) - Width), y:0, width:FrameWidth * Scale, height:
> FrameWidth * Scale))
> }
> // in the game gallery //
> else
1271,1272c1174,1177
< // clear the frame context //
< Frames[Index].context?.clear(BoardBounds)
- - -

> // draw the frame into the gallery context //
> Context.draw(Board.CGLayersBoardWithPieces[1], in:CGRect(x:FrameWidth * Scale *
> CGFloat(FrameNumber), y:0, width:FrameWidth * Scale, height:FrameWidth *
> Scale))
1274,1276d1178
<

< // clear the diagram //
< ClearDiagram()
1279,1280c1181,1182
< // reset the gallery view //
< func ResetGallery()
- - -

> // get the current slider value //
> func SliderValue() -> Double
1282,1283c1184,1198
< // set the current position back to the original position //
< CurrentPosition = Int(Board.GameGallerySlider.intValue)
- - -

> // return the current slider value //
> return Double((CenterX - X) / MaxOffset)
> }
>

> // set the animation layer position //
> func SetAnimationLayerPosition()
> {
> // remove all the animations from the animation layer //
> AnimationLayer.removeAllAnimations()
>

> // remove the animation effects //
> CATransaction.setDisableActions(true)
>

> // set the animation ending point //
> Animation.toValue = NSValue(point:NSPoint(x:X, y:Y))
1285,1286c1200,1204
< // update the gallery //
< UpdateGallery()
- - -

> // remove the animation effects //
> CATransaction.setDisableActions(true)
>

> // update the animation layer position //
> AnimationLayer.position = CGPoint(x:X, y:Y)
1288,1289c1206,1210
< // set recording movie to false //
< RecordingMovie = false
- - -

> // remove the animation effects //
> CATransaction.setDisableActions(true)
>

> // set the animation duration //
> Animation.duration = Double(min(abs(StartX - X) / FrameWidth * Duration, Duration))
1292,1293c1213,1214
< // update the gallery //
< func UpdateGallery()
- - -

> // update the game gallery view //
> func UpdateGalleryView(_ SliderValue:CGFloat)
1295,1313c1216,1220
< // clear the gallery context //
< GalleryLayer.context?.clear(ViewBounds)
<

< // loop over all the boards for the current gallery view //
< for Index in 0 ..< FramesWide * (BoolToInt(Wraparound) + 1)
< {
< // if the current board position is less than the maximum value allowed //
< if Index + CurrentPosition < MaxFrames
< {
< // draw the frame into the specified rectangle in the view //
< GalleryLayer.context?.draw(Frames[CurrentPosition + Index], in:Rects[Index])
< }
< }
<

< // refresh the diagram layer //
< RefreshDiagramLayer()
<

< // update the view display //
< displayIgnoringOpacity(bounds)
- - -

> // compute the x location value of the animation layer from the slider value //
> X = CenterX - SliderValue * MaxOffset

>

> // set the animation layer position //
> SetAnimationLayerPosition()
1316,1317c1223,1224
< // keep the marker pen in bounds //
< func KeepMarkerInBounds()
- - -

> // animate moving a frame to the right or the left //
> func Animate(_ Right:Bool)
1319,1324c1226,1227
< // if the x coordinate is less than 1 //
< if Location.x < 1
< {
< // reset the location x coordinate to 1 //
< Location.x = 1
< }
- - -

> // set if going right or not //
> GoingRight = Right
1326,1327c1229,1231
< // if the y coordinate is less than 1 //
< if Location.y < 1
- - -

> // if have reached the maximum or the minimum value of x and not reviewing //
> if (((X <= -MaxOffset + CenterX && GoingRight) || (X >= CenterX && !GoingRight)) &&
> !Reviewing) || (ImageWidth == Width)
1329,1330c1233,1234
< // reset the location y coordinate to 1 //
< Location.y = 1
- - -

> // exit function //
> return

1333,1338c1237,1241
< // if the x coordinate is greater than width - 1 //
< if Location.x > Width - 1
< {
< // reset the location x coordinate to width - 1 //
< Location.x = Width - 1
< }
- - -

> // set that currently animating //
> Animating = true
>

> // update the gallery buttons //
> Board.SetGalleryButtonsToState(!Reviewing)
1340,1341c1243,1244
< // if the y coordinate is greater than height - 1 //
< if Location.y > Height - 1
- - -

> // if have reached the minimum value of x and reviewing //
> if (X <= -MaxOffset + CenterX) && GoingRight && Reviewing
1343,1344c1246,1250
< // reset the location y coordinate to height - 1 //
< Location.y = Height - 1
- - -

> // set x to the initial value //
> X = CenterX
>

> // update the gallery slider value //
> Board.GameGallerySlider.doubleValue = SliderValue()
1346,1379d1251
< }
<

< // initialize the gallery //
< func Initialize(_ Size:CGFloat)
< {
< // set the board size //
< BoardSize = Size * Scale

<

< // set the valid path to false //
< ValidPath = false
<

< // set the current diagram position to zero //
< CurrentDiagramPosition = 0
<

< // set that not currently reviewing //
< Reviewing = false
<

< // set that not currently diagramming //
< Diagramming = false
<

< // set the current position to zero //
< CurrentPosition = 0

<

< // set the view height //
< Height = frame.size.height
<

< // set the view width //
< Width = frame.size.width

<

< // initialize the diagram cursor //
< DiagramCursor = NSCursor.arrow
<

< // set the core graphics view bounds //
< ViewBounds = CGRect(x:0, y:0, width:Width * Scale, height:Height * Scale)
1381,1383c1253,1254
< // the shifted view bounds //
< ShiftedViewBounds = CGRect(x:-Scale * FrameSize, y:0, width:Width * Scale, height:Height *
< Scale)
- - -

> // save the starting x value //
> StartX = X
1385,1398c1256,1260
< // set the board bounds //
< BoardBounds = CGRect(x:0, y:0, width:BoardSize * Scale, height:BoardSize * Scale)
<

< // create the gallery layer //
< GalleryLayer = CGLayerOfSize(Width * Scale, Height:Height * Scale)
<

< // create the diagram layer //
< DiagramLayer = CGLayerOfSize(Width * Scale, Height:Height * Scale)
<

< // set the diagram layer path width //
< DiagramLayer.context?.setLineWidth(3 * Scale)
<

< // set the diagram path line cap style to round //
< DiagramLayer.context?.setLineCap(CGLineCap.round)
- - -

> // remove the animation effects //
> CATransaction.setDisableActions(true)
>

> // set the animation starting point //
> Animation.fromValue = NSValue(point:NSPoint(x:X, y:Y))
1400,1415c1262,1263
< // create the context //
< Context = CGContext(data:nil, width:Int(Width * Scale), height:Int(Height * Scale),
< bitsPerComponent:8, bytesPerRow:0, space:CGColorSpaceCreateDeviceRGB(),
< bitmapInfo:CGImageAlphaInfo.noneSkipFirst.rawValue)
<

< // remove all the rectangles //
< Rects.removeAll()
<

< // get the number of frames that can span the width of the view //
< FramesWide = Int(Width / FrameSize)
<

< // update the gallery button states //
< Board.SetGalleryButtonsToState(true)
<

< // if is a wraparound gallery //
< if Wraparound
- - -

> // if going right //
> if GoingRight
1417,1418c1265,1269
< // loop over all the frames wide //
< for Index in 0 ..< FramesWide

- - -

> // decrement the x location value by one frame width //
> X -= FrameWidth
>

> // if went past the minimum x location value //
> if X <= CenterX - MaxOffset
1420,1422c1271,1272
< // append a rectangle to draw a board in //
< Rects.append(CGRect(x:Scale * FrameSize * CGFloat(Index), y:Scale * FrameSize, width:
< Scale * FrameSize, height:Scale * FrameSize))
- - -

> // set x to the minimum x location value //
> X = CenterX - MaxOffset
1425,1427c1275,1276
<

< // loop over all the frames wide //
< for Index in 0 ..< FramesWide

- - -

> // going left //
> else
1429,1432c1278,1279
< // append a rectangle to draw a board in //
< Rects.append(CGRect(x:Scale * FrameSize * CGFloat(Index), y:0, width:Scale * FrameSize,
< height:Scale * FrameSize))
< }
- - -

> // increment the x location value by one frame width //
> X += FrameWidth
1434,1438c1281,1282
< // if there are no frames yet //
< if Frames.count == 0
< {
< // loop over 800 frames //
< for _ in 0 ..< 800
- - -

> // if went past the maximum x location value //
> if X >= CenterX
1440,1441c1284,1285
< // append a frame for the given frame size //
< Frames.append(CGLayerOfSize(BoardSize, Height:BoardSize))
- - -

> // set x to the maximum x location value //
> X = CenterX
1443,1449c1287,1293
< }
<

< // add a tracking rectangle for the view //
< TrackingRectangle = addTrackingRect(bounds, owner:self, userData:nil, assumeInside:false)
<

< // disable the cursor rectangles //
< window!.disableCursorRects()
- - -

> }
>

> // set the animation layer position //
> SetAnimationLayerPosition()
>

> // add the animation to the animation layer //
> AnimationLayer.add(Animation, forKey:"position")
2073c1917,1918
< if NSKeyedUnarchiver.unarchiveObject(with:AppPreferences.object(forKey:Key) as! Data) != nil
- - -

> if NSKeyedUnarchiver.unarchiveObject(with:AppPreferences.object(forKey:Key) as! Data) !=
> nil
2076,2077c1921,1922
< return NSKeyedUnarchiver.unarchiveObject(with:AppPreferences.object(forKey:Key) as! Data)
< as! NSImage
- - -

> return NSKeyedUnarchiver.unarchiveObject(with:AppPreferences.object(forKey:Key) as!
> Data) as! NSImage
2132,2134d1976
< // the gallery review timer //
< var GalleryReviewTimer:Timer = Timer()
<

2170,2172d2011
<

< // the movie view bounds //
< var MovieViewBounds:CGRect = CGRect(x:0, y:0, width:1, height:1)
2253c2092

< var CGBoardSize:[CGFloat] = [180, 250, 400, 660]
- - -

> var CGBoardSize:[CGFloat] = [180, 250, 660]
2256c2095

< var CGSquareSize:[CGFloat] = [0, 0, 0, 0]
- - -

> var CGSquareSize:[CGFloat] = [0, 0, 0]
2259c2098
< var CGBoardOffset:[CGFloat] = [0, 0, 0, 0]
- - -

> var CGBoardOffset:[CGFloat] = [0, 0, 0]
2404a2244,2246
> // the number of gallery movie frames //
> var GalleryMovieFrames:Int = 0
>

2689a2532,2534
> // the movie size //
> var MovieSize:Int = 1

>

3117c2962

< // the captured piece highlight layers //
- - -

> // the captured piece highlight layer //
3120c2965

< // the threatened piece highlight layers //
- - -

> // the threatened piece highlight layer //
3129c2974

< // the last move highlight layers //
- - -

> // the last move highlight layer //
3173,3175d3017
<

< // the write gallery movie thread //
< var WriteGalleryMovieThread:Thread = Thread()
3177c3019

< // the name of the chess engine //
- - -

> // the name of chess engine //
3353a3196,3198
> // the gallery color //
> var GalleryColor:NSColor = NSColor()
>

3453,3454c3298,3299
< // the game gallery undo path button //
< @IBOutlet var GameGalleryUndoPath:NSToolbarItem!
- - -

> // the game gallery undo shape button //
> @IBOutlet var GameGalleryUndoShape:NSToolbarItem!
3698a3544,3546
> // the movie size slider //
> @IBOutlet var MovieSizeSlider:NSSlider!

>

3774c3622

< // the wraparound menu item //
- - -

> // the wraparound memu item //
3821a3670,3672
> // the text field for the movie size view //
> @IBOutlet var MovieSizeView:NSTextField!

>

4069c3920,3921
< .UpdateGameClock), userInfo:nil, repeats:true), forMode:RunLoop.Mode.common)
- - -

> .UpdateGameClock), userInfo:nil, repeats:true), forMode:
> RunLoop.Mode.common)
4497c4349

< return min(CGFloat(PGNMovesData.RowHeight(TableRow / 2)), CGBoardSize[3])
- - -

> return min(CGFloat(PGNMovesData.RowHeight(TableRow / 2)), CGBoardSize[2])
4593,4595d4444
< // begin a new diagram layer path //
< DiagramLayer.context?.beginPath()
<

4851c4700,4701
< AnimationLayer.bounds = CGRect(x:0, y:0, width:CGFloat(SquareSize), height:CGFloat(SquareSize))
- - -

> AnimationLayer.bounds = CGRect(x:0, y:0, width:CGFloat(SquareSize), height:
> CGFloat(SquareSize))
5401,5403c5251,5253
< WindowMaxSize = NSMakeSize(CGFloat(660 + BoolToInt(!HideInfoPanel) * BoolToInt(SmallInfoPanel)
< * 340 + BoolToInt(!HideInfoPanel) * BoolToInt(LargeInfoPanel) * 600),
< 660)
- - -

> WindowMaxSize = NSMakeSize(CGFloat(660 + BoolToInt(!HideInfoPanel) *
> BoolToInt(SmallInfoPanel) * 340 + BoolToInt(!HideInfoPanel) *
> BoolToInt(LargeInfoPanel) * 600), 660)
5434c5284,5285
< PGNMovesTableView.enclosingScrollView?.frame = NSMakeRect(692, 30, 275, 235 + HideClock * 60)
- - -

> PGNMovesTableView.enclosingScrollView?.frame = NSMakeRect(692, 30, 275, 235 + HideClock *
> 60)
5481c5332

< DatabaseExplorerWindow.setContentSize(NSMakeSize(MainWindow.frame.size.width, 30))
- - -

> DatabaseExplorerWindow.setContentSize(NSMakeSize(MainWindow.frame.size.width, 25))
5492,5494c5343,5345
< // set the gallery view frame side //
< GameGalleryView.FrameSize = MainWindow.frame.size.width / CGFloat(Int(MainWindow.frame
< .size.width / 220))
- - -

> // set the gallery view frame width //
> GameGalleryView.FrameWidth = MainWindow.frame.size.width / CGFloat(Int(MainWindow.frame
> .size.width / 220))
5804c5655,5657
< while ReadOpeningBookThread.isExecuting {}
- - -

> while ReadOpeningBookThread.isExecuting
> {
> }
6096c5949

< Alert.icon = NSImageFromCGLayer(3, Size:CGBoardSize[3])
- - -

> Alert.icon = NSImageFromCGLayer(2, Size:CGBoardSize[2])
6344,6345c6197,6198
< GameClock.UpdateClock(Float(ElapsedWhiteTime) / 10.0, ElapsedBlackTime:Float(ElapsedBlackTime)
< / 10.0)
- - -

> GameClock.UpdateClock(Float(ElapsedWhiteTime) / 10.0, ElapsedBlackTime:
> Float(ElapsedBlackTime) / 10.0)
7030c6883,6884
< ImageToLayer(ChessBoardImages[BoardType], Layer:CGLayerBoardType, Size:CGBoardSize[3] * Scale)
- - -

> ImageToLayer(ChessBoardImages[BoardType], Layer:CGLayerBoardType, Size:CGBoardSize[2] *
> Scale)
7122a6977,6979
> // set the game gallery animation rate //
> GameGalleryView.SetAnimationRate(GalleryAnimationRate)
>

7175c7032,7033
< BoardTintHue = PreferenceInt("BoardTintHue", Default:30, Min:0, Max:BoardTintHues.count - 1)
- - -

> BoardTintHue = PreferenceInt("BoardTintHue", Default:30, Min:0, Max:BoardTintHues.count
> - 1)
7184,7185c7042,7043
< BorderTextureColor = PreferenceInt("BorderTextureColor", Default:BorderColors.count - 1, Min:0,
< Max:BorderColors.count - 1)
- - -

> BorderTextureColor = PreferenceInt("BorderTextureColor", Default:BorderColors.count - 1,
> Min:0, Max:BorderColors.count - 1)
7228a7087,7095
> // retrieve the movie size preference //
> MovieSize = PreferenceInt("MovieSize", Default:100, Min:50, Max:100)
>

> // update the movie size slider //
> MovieSizeSlider.intValue = Int32(MovieSize)
>

> // display the movie size //
> DisplayMovieSize()
>

7438c7305

< "\(PreferencesSelection)")
- - -

> "\(PreferencesSelection)") 8134c8001,8002
< else if Int(Attributes.FENStartMoveNumber)! < 1 || Int(Attributes.FENStartMoveNumber)! > 1000
- - -

> else if Int(Attributes.FENStartMoveNumber)! < 1 || Int(Attributes.FENStartMoveNumber)!
> > 1000
8259c8127,8128
< NSBezierPath(rect:NSMakeRect(1, 1, CGFloat(SquareSize - 2), CGFloat(SquareSize - 2))).stroke()
- - -

> NSBezierPath(rect:NSMakeRect(1, 1, CGFloat(SquareSize - 2), CGFloat(SquareSize - 2)))
> .stroke()
8265c8134,8135
< NSBezierPath(rect:NSMakeRect(2, 2, CGFloat(SquareSize - 4), CGFloat(SquareSize - 4))).stroke()
- - -

> NSBezierPath(rect:NSMakeRect(2, 2, CGFloat(SquareSize - 4), CGFloat(SquareSize - 4)))
> .stroke()
8272c8142

< CGLayerSquareBorder, Size:CGBoardSize[3] * Scale)
- - -

> CGLayerSquareBorder, Size:CGBoardSize[2] * Scale)
8274,8275c8144,8145
< // loop over all the board size sets //
< for Count in 0 ..< CGBoardSize.count

- - -

> // loop over all three board size sets //
> for Count in 0 ..< 3
8417c8287,8288
< NSBezierPath(ovalIn:NSMakeRect(2, 2, CGFloat(SquareSize - 4), CGFloat(SquareSize - 4))).fill()
- - -

> NSBezierPath(ovalIn:NSMakeRect(2, 2, CGFloat(SquareSize - 4), CGFloat(SquareSize - 4)))
> .fill()
8474c8345

< MergeLayer(BoardBottomLayer, ToLayer:CGLayersBoard[3], Size:CGBoardSize[3] * Scale)
- - -

> MergeLayer(BoardBottomLayer, ToLayer:CGLayersBoard[2], Size:CGBoardSize[2] * Scale)
8477c8348

< MergeLayer(BoardTopLayer, ToLayer:CGLayersBoard[3], Size:CGBoardSize[3] * Scale)
- - -

> MergeLayer(BoardTopLayer, ToLayer:CGLayersBoard[2], Size:CGBoardSize[2] * Scale)
8487c8358

< UpdateBoardWithPiecesLayer(3)
- - -

> UpdateBoardWithPiecesLayer(2)
8497,8500c8368
< ViewBounds = CGRect(x:0, y:0, width:CGBoardSize[3] * Scale, height:CGBoardSize[3] * Scale)
<

< // set the game movie view bounds //
< MovieViewBounds = CGRect(x:0, y:0, width:CGBoardSize[2] * Scale, height:CGBoardSize[2] * Scale)
- - -

> ViewBounds = CGRect(x:0, y:0, width:CGBoardSize[2] * Scale, height:CGBoardSize[2] * Scale)
8506c8374

< CGLayerBorderOverlay = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> CGLayerBorderOverlay = CGLayerOfSize(CGBoardSize[2] * Scale)
8509c8377

< CGLayerBoardType = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> CGLayerBoardType = CGLayerOfSize(CGBoardSize[2] * Scale)
8512c8380

< CGLayerSquareBorder = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> CGLayerSquareBorder = CGLayerOfSize(CGBoardSize[2] * Scale)
8515c8383

< BoardBottomLayer = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> BoardBottomLayer = CGLayerOfSize(CGBoardSize[2] * Scale)
8518c8386

< BoardTopLayer = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> BoardTopLayer = CGLayerOfSize(CGBoardSize[2] * Scale)
8524c8392

< DiagramLayer = CGLayerOfSize(CGBoardSize[3] * Scale)
- - -

> DiagramLayer = CGLayerOfSize(CGBoardSize[2] * Scale)
8543,8544c8411,8412
< // loop over all the board size sets //
< for Count in 0 ..< CGBoardSize.count

- - -

> // loop over all three board size sets //
> for Count in 0 ..< 3
8547c8415

< CGBoardOffset[Count] = 30.0 / CGBoardSize[3] * CGBoardSize[Count]
- - -

> CGBoardOffset[Count] = 30.0 / CGBoardSize[2] * CGBoardSize[Count]
8586c8454

< AppNameView.stringValue = "GreenChess 8.1.5"
- - -

> AppNameView.stringValue = "GreenChess 8.1.4"
8733a8602,8604
>

> // add the animation layer to the game gallery view //
> GameGalleryView.layer?.addSublayer(GameGalleryView.AnimationLayer)
8765,8766c8636,8637
< // loop over all the board size sets //
< for Count in 0 ..< CGBoardSize.count

- - -

> // loop over the three board size sets //
> for Count in 0 ..< 3
8868c8739,8740
< NSGraphicsContext.current = NSGraphicsContext(cgContext:MovieInfoLayer.context!, flipped:false)
- - -

> NSGraphicsContext.current = NSGraphicsContext(cgContext:MovieInfoLayer.context!, flipped:
> false)
8874c8746

< NSGraphicsContext.current?.cgContext.draw(CGLayersBoardWithPieces[2], in:MovieViewBounds)
- - -

> NSGraphicsContext.current?.cgContext.draw(CGLayersBoardWithPieces[2], in:ViewBounds)
8877c8749

< MovieInfoAttributes = [NSAttributedString.Key.font:NSFont.boldSystemFont(ofSize:Scale * 11),
- - -

> MovieInfoAttributes = [NSAttributedString.Key.font:NSFont.boldSystemFont(ofSize:Scale * 18),
8881c8753

< MovieInfoTagPosition = 353
- - -

> MovieInfoTagPosition = 583
8922,8924c8794,8796
< NSBezierPath(roundedRect:(NSMakeRect(Scale * 21, Scale * (MovieInfoTagPosition - 2),
< AttributedMovieTag.size().width + Scale * 12, Scale * 16.5)), xRadius:Scale *
< 8.25, yRadius:Scale * 8.25).fill()
- - -

> NSBezierPath(roundedRect:(NSMakeRect(Scale * 35, Scale * (MovieInfoTagPosition - 3),
> AttributedMovieTag.size().width + Scale * 20, Scale * 26)), xRadius:Scale *
> 13, yRadius:Scale * 13).fill()
8927c8799

< AttributedMovieTag.draw(at:NSPoint(x:Scale * 27, y:Scale * MovieInfoTagPosition))
- - -

> AttributedMovieTag.draw(at:NSPoint(x:Scale * 45, y:Scale * MovieInfoTagPosition))
8930c8802

< MovieInfoTagPosition -= 45.455
- - -

> MovieInfoTagPosition -= 75
9022c8894,8895
< NSGraphicsContext.current = NSGraphicsContext(cgContext:BoardTopLayer.context!, flipped:false)
- - -

> NSGraphicsContext.current = NSGraphicsContext(cgContext:BoardTopLayer.context!, flipped:
> false)
9076c8949

< ImageToLayer(LayerImage, Layer:CGLayerBorderOverlay, Size:CGBoardSize[3] * Scale)
- - -

> ImageToLayer(LayerImage, Layer:CGLayerBorderOverlay, Size:CGBoardSize[2] * Scale)
9180c9053
< if InPositionEditor && Set == 3

- - -

> if InPositionEditor && Set == 2
9194c9067,9068
< if HighlightCapturedPieces && !ReviewingGame && !InPositionEditor && !CoreAnimating && Set != 0
- - -

> if HighlightCapturedPieces && !ReviewingGame && !InPositionEditor && !CoreAnimating && Set
> != 0
9209,9210c9083,9084
< if HighlightThreatenedPieces && !ReviewingGame && !InPositionEditor && !CoreAnimating && Set
< != 0

- - -

> if HighlightThreatenedPieces && !ReviewingGame && !InPositionEditor && !CoreAnimating &&
> Set != 0
9241,9242c9115,9116
< // if move by selecting squares and have a selected square for main sized board //
< if MoveBySelectingSquares && SelectedSquares > 0 && Set == 3
- - -

> // if move by selecting squares and have a selected square //
> if MoveBySelectingSquares && SelectedSquares > 0 && Set == 2
9275,9276c9149,9150
< // if main sized board and not hiding captured pieces in board and not in position editor //
< if Set == 3 && !HideCapturedPiecesInBoard && !InPositionEditor
- - -

> // if set is two and not hiding captured pieces in board and not in position editor //
> if Set == 2 && !HideCapturedPiecesInBoard && !InPositionEditor
9347c9221

< CGContexts[3].draw(CGLayersBoard[3], in:ViewBounds)
- - -

> CGContexts[2].draw(CGLayersBoard[2], in:ViewBounds)
9350c9224
< return CGContexts[3].makeImage()!
- - -

> return CGContexts[2].makeImage()!
9353c9227

< // get a cg image from a movie info cg layer //
- - -

> // get a cgimage from a movie info cg layer //
9357c9231

< CGContexts[2].draw(MovieInfoLayer, in:MovieViewBounds)
- - -

> CGContexts[2].draw(MovieInfoLayer, in:ViewBounds)
9359c9233

< // return the cg image //
- - -

> // return a cg image from the context //
9420,9421c9294,9295
< // if the cursor location is off the board or have attached sheet //

< if PointOutOfBounds(Cursor) || HaveAttachedSheet()
- - -

> // if the mouse location is off the board or have attached sheet //

> if Cursor.x < 30 || Cursor.x > 630 || Cursor.y < 30 || Cursor.y > 630 || HaveAttachedSheet()
9519c9393,9394
< if PointOutOfBounds(MouseLocation)
- - -

> if MouseLocation.x < 30 || MouseLocation.y < 30 || MouseLocation.x > 630 || MouseLocation.y
> > 630
9526,9527c9401
< if EngineThinking || CoreAnimating || (BoardGameOver(Board) && !InPositionEditor) ||
< AnimateProgress
- - -

> if EngineThinking || CoreAnimating || (BoardGameOver(Board) && !InPositionEditor)
9671,9689d9544
< // process the diagram path //
< func ProcessDiagramPath()
< {
< // keep the marker in bounds //
< KeepMarkerInBounds()
<

< // set the path location //
< PathLocation = CGPoint(x:MouseLocation.x * Scale, y:MouseLocation.y * Scale)
<

< // add a line to the diagram path location //
< DiagramPaths[DiagramPaths.count - 1].addLine(to:PathLocation)
<

< // add a line to the diagram layer context path //
< DiagramLayer.context?.addLine(to:PathLocation)
<

< // stroke the diagram layer path //
< DiagramLayer.context?.strokePath()
< }
<

9702,9703c9557,9570
< // process the diagram path //
< ProcessDiagramPath()
- - -

> // keep the marker in bounds //
> KeepMarkerInBounds()
>

> // set the path location //
> PathLocation = CGPoint(x:MouseLocation.x * Scale, y:MouseLocation.y * Scale)
>

> // add a line to the diagram path location //
> DiagramPaths[DiagramPaths.count - 1].addLine(to:PathLocation)
>

> // add a line to the diagram layer context path //
> DiagramLayer.context?.addLine(to:PathLocation)
>

> // stroke the diagram layer path //
> DiagramLayer.context?.strokePath()
9833c9700,9702
< while ReadOpeningBookThread.isExecuting {}
- - -

> while ReadOpeningBookThread.isExecuting
> {
> }
9918c9787,9788
< GCEngineThread = Thread(target:self, selector:#selector(GreenChess.GCEngineMove), object:nil)
- - -

> GCEngineThread = Thread(target:self, selector:#selector(GreenChess.GCEngineMove), object:
> nil)
9946,9952d9815
<

< // if the point is out of bounds //
< func PointOutOfBounds(_ Point:NSPoint) -> Bool
< {
< // return if point is outside these bounds //
< return Point.x < 30 || Point.y < 30 || Point.x > 630 || Point.y > 630
< }
9966,9967c9829,9842
< // process the diagram path //
< ProcessDiagramPath()
- - -

> // keep the marker in bounds //
> KeepMarkerInBounds()
>

> // set the path location //
> PathLocation = CGPoint(x:MouseLocation.x * Scale, y:MouseLocation.y * Scale)
>

> // add a line to the path location for the diagram paths //
> DiagramPaths[DiagramPaths.count - 1].addLine(to:PathLocation)
>

> // add a line to the path location in the diagram layer context //
> DiagramLayer.context?.addLine(to:PathLocation)
>

> // stroke the current path in the diagram layer context //
> DiagramLayer.context?.strokePath()
9979,9980c9854,9856
< // if mouse location is out of bounds and moving by selecting squares //
< if PointOutOfBounds(MouseLocation) && MoveBySelectingSquares && SelectedSquares == 2
- - -

> // if mouse location is out of range and moving by selecting squares //
> if (MouseLocation.x < 30 || MouseLocation.y < 30 || MouseLocation.x > 630 || MouseLocation.y
> > 630) && (MoveBySelectingSquares && SelectedSquares == 2)
10071c9947,9949
< while GameSoundThread.isExecuting {}
- - -

> while GameSoundThread.isExecuting
> {
> }
10141c10019,10020
< GameSoundThread = Thread(target:self, selector:#selector(GreenChess.PlayGameSound), object:nil)
- - -

> GameSoundThread = Thread(target:self, selector:#selector(GreenChess.PlayGameSound), object:
> nil)
10258c10137

< NSGraphicsContext.current?.cgContext.draw(CGLayersBoardWithPieces[3], in:bounds)
- - -

> NSGraphicsContext.current?.cgContext.draw(CGLayersBoardWithPieces[2], in:bounds)
10276,10334d10154
< // update the diagram color //
< func UpdateDiagramColor(_ Color:String)
< {
< // play the game sound of a click //
< PlayGameSoundThread("click")
<

< // set the diagram cursor //
< SetDiagramCursor(Color)
<

< // if the color is cyan //
< if Color == "cyan"
< {
< // set the diagram color to cyan //
< DiagramColor = NSColor.cyan
< }
< // if the color is blue //
< else if Color == "blue"
< {
< // set the diagram color to blue //
< DiagramColor = NSColor.blue
< }
< // if the color is yellow //
< else if Color == "yellow"
< {
< // set the diagram color to yellow //
< DiagramColor = NSColor.yellow
< }
< // if the color is black //
< else if Color == "black"
< {
< // set the diagram color to black //
< DiagramColor = NSColor.black
< }
< // if the color is white //
< else if Color == "white"
< {
< // set the diagram color to white //
< DiagramColor = NSColor.white
< }
< // if the color is magenta //
< else if Color == "magenta"
< {
< // set the diagram color to magenta //
< DiagramColor = NSColor.magenta
< }
< // if the color is green //
< else if Color == "green"
< {
< // set the diagram color to green //
< DiagramColor = NSColor.green
< }
< // if the color to red //
< else if Color == "red"
< {
< // set the diagram color to red //
< DiagramColor = NSColor.red
< }
< }
<

10338,10339c10158,10165
< // update the diagram color to blue //
< UpdateDiagramColor("blue")
- - -

> // set the diagram color to blue //
> DiagramColor = NSColor.blue
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set diagram cursor to blue highlighter //

> // set diagram cursor to blue highlighter //
> SetDiagramCursor("blue")
10345,10346c10171,10178
< // update the diagram color to cyan //
< UpdateDiagramColor("cyan")
- - -

> // set the diagram color to cyan //
> DiagramColor = NSColor.cyan
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set diagram cursor to cyan highlighter //
> SetDiagramCursor("cyan")
10352,10353c10184,10191
< // update the diagram color to magenta //
< UpdateDiagramColor("magenta")
- - -

> // set the diagram color to magenta //
> DiagramColor = NSColor.magenta
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to magenta highlighter //
> SetDiagramCursor("magenta")
10359,10360c10197,10204
< // update the diagram color to white //
< UpdateDiagramColor("white")
- - -

> // set the diagram color to white //
> DiagramColor = NSColor.white
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to white highlighter //
> SetDiagramCursor("white")
10366,10367c10210,10217
< // update the diagram color to black //
< UpdateDiagramColor("black")
- - -

> // set the diagram color to black //
> DiagramColor = NSColor.black
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to black //
> SetDiagramCursor("black")
10373,10374c10223,10230
< // update the diagram color to yellow //
< UpdateDiagramColor("yellow")
- - -

> // set the diagram color to yellow //
> DiagramColor = NSColor.yellow
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to yellow //
> SetDiagramCursor("yellow")
10380,10381c10236,10243
< // update the diagram color to green //
< UpdateDiagramColor("green")
- - -

> // set the diagram color to green //
> DiagramColor = NSColor.green
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to green //
> SetDiagramCursor("green")
10387,10388c10249,10256
< // update the diagram color to red //
< UpdateDiagramColor("red")
- - -

> // set the diagram color to red //
> DiagramColor = NSColor.red
>

> // play the sound of a button click //
> PlayGameSoundThread("click")
>

> // set the diagram cursor to red //
> SetDiagramCursor("red")
10391,10392c10259,10260
< // clear the gallery diagram //
< @IBAction func ClearGalleryDiagram(_:AnyObject)
- - -

> // the erase shapes action //
> @IBAction func EraseShapes(_:AnyObject)
10397,10398c10265,10266
< // erase all the gallery view paths //
< GameGalleryView.ClearDiagram()
- - -

> // erase all the gallery view shapes //
> GameGalleryView.EraseShapes()
10401,10402c10269,10270
< // the undo gallery path action //
< @IBAction func UndoGalleryPath(_:AnyObject)
- - -

> // the undo shape action //
> @IBAction func UndoShape(_:AnyObject)
10407,10408c10275,10276
< // undo a path on the gallery view //
< GameGalleryView.UndoPath()
- - -

> // undo a shape on the gallery view //
> GameGalleryView.UndoShape()
10414,10415c10282,10289
< // update the gallery diagram color to blue //
< GameGalleryView.UpdateGalleryColor("blue")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to blue //
> GalleryColor = NSColor.blue
>

> // set the gallery view diagram cursor to blue highlighter //
> GameGalleryView.SetDiagramCursor("blue")
10421,10422c10295,10302
< // update the gallery diagram color to cyan //
< GameGalleryView.UpdateGalleryColor("cyan")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to cyan //
> GalleryColor = NSColor.cyan
>

> // set the gallery view diagram cursor to cyan highlighter //
> GameGalleryView.SetDiagramCursor("cyan")
10428,10429c10308,10315
< // update the gallery diagram color to yellow //
< GameGalleryView.UpdateGalleryColor("yellow")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to yellow //
> GalleryColor = NSColor.yellow
>

> // set the gallery view diagram cursor to yellow highlighter //
> GameGalleryView.SetDiagramCursor("yellow")
10435,10436c10321,10328
< // update the gallery diagram color to black //
< GameGalleryView.UpdateGalleryColor("black")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to black //
> GalleryColor = NSColor.black
>

> // set the gallery view diagram cursor to black highlighter //
> GameGalleryView.SetDiagramCursor("black")
10442,10443c10334,10341
< // update the gallery diagram color to white //
< GameGalleryView.UpdateGalleryColor("white")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to white //
> GalleryColor = NSColor.white
>

> // set the gallery view diagram cursor to white highlighter //
> GameGalleryView.SetDiagramCursor("white")
10449,10450c10347,10354
< // update the gallery diagram color to magenta //
< GameGalleryView.UpdateGalleryColor("magenta")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to magenta //
> GalleryColor = NSColor.magenta
>

> // set the gallery view diagram cursor to magenta highlighter //
> GameGalleryView.SetDiagramCursor("magenta")
10456,10457c10360,10367
< // update the gallery diagram color to green //
< GameGalleryView.UpdateGalleryColor("green")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to green //
> GalleryColor = NSColor.green
>

> // set the gallery view diagram cursor to green highlighter //
> GameGalleryView.SetDiagramCursor("green")
10463,10464c10373,10380
< // update the gallery diagram color to red //
< GameGalleryView.UpdateGalleryColor("red")
- - -

> // play the game sound of a click //
> PlayGameSoundThread("click")
>

> // set the gallery color to red //
> GalleryColor = NSColor.red
>

> // set the gallery view diagram cursor to red highlighter //
> GameGalleryView.SetDiagramCursor("red")
10469a10386,10392
> // if currently animating //
> if GameGalleryView.Animating
> {
> // exit function since currently animating //
> return

> }
>

10498a10422,10428
> // if currently animating //
> if GameGalleryView.Animating
> {
> // exit function since currently animating //
> return

> }
>

10557c10487
<

- - -

>

10572,10576c10502,10506
< UnsafeMutableRawPointer(mutating:BaseAddress!), Image.bytesPerRow,
< {ReleaseContext, BaseAddress in let ContextData = Unmanaged<CFData>
< .fromOpaque(ReleaseContext!); ContextData.release()},
< Unmanaged<CFData>.passRetained(CGImageData!).toOpaque(), nil,
< &PixelBuffer)
- - -

> UnsafeMutableRawPointer(mutating:BaseAddress!), Image
> .bytesPerRow, {ReleaseContext, BaseAddress in let ContextData =
> Unmanaged<CFData>.fromOpaque(ReleaseContext!); ContextData
> .release()}, Unmanaged<CFData>.passRetained(CGImageData!)
> .toOpaque(), nil, &PixelBuffer)
10641,10646c10571,10572
< // run on the main thread //
< DispatchQueue.main.async
< {
< // reopen the previously attached sheet if had one //
< self.ReopenPreviouslyAttachedSheet()
< }
- - -

> // reopen the previously attached sheet if had one //
> ReopenPreviouslyAttachedSheet()
10652,10654d10577
< // set the main window title to show saving movie //
< MainWindow.title = "Saving Movie"
<

10656,10660c10579,10580
< PrepareToWriteAMovie(GameGalleryView.Width, VidHeight:GameGalleryView.Height)
<

< // create the write gallery movie thread //
< WriteGalleryMovieThread = Thread(target:self, selector:#selector(GreenChess.GalleryMovieThread),
< object:nil)
- - -

> PrepareToWriteAMovie(GameGalleryView.Width * CGFloat(MovieSize) / 100.0, VidHeight:
> GameGalleryView.Height * CGFloat(MovieSize) / 100.0) 10662,10666c10582,10584
< // set the write gallery movie thread to the highest priority //
< WriteGalleryMovieThread.threadPriority = 1
<

< // start the write gallery movie thread //
< WriteGalleryMovieThread.start()
- - -

> // set the number of gallery movie frames //
> GalleryMovieFrames = Int((CGFloat(GameGalleryView.Image.width) / GameGalleryView.Scale -
> GameGalleryView.Width) / GameGalleryView.FrameWidth) + 1 10668,10674d10585
< // set to animate the progress //
< AnimateProgress = true
< }
<

< // the gallery movie thread //
< @objc func GalleryMovieThread()
< {
10676c10587

< for FrameIndex in 0 ..< GameGalleryView.MaxPosition + 1
- - -

> for FrameIndex in 0 ..< GalleryMovieFrames
10682c10593,10595
< Adaptor!.append(PixelBufferFromCGImage(GameGalleryView.MovieFrame()),
- - -

> Adaptor!.append(PixelBufferFromCGImage(GameGalleryView.Image.cropping(to:CGRect(x:
> GameGalleryView.FrameWidth * CGFloat(FrameIndex) * Scale, y:0, width:
> GameGalleryView.Width * Scale, height:GameGalleryView.Height * Scale))!), 10689,10701d10601
<

< // run on the main thread //
< DispatchQueue.main.async
< {
< // reset the main window title to gallery //
< self.MainWindow.title = "Gallery"
<

< // reset the gallery view //
< self.GameGalleryView.ResetGallery()
< }
<

< // set animate progress to false //
< AnimateProgress = false
10707,10711c10607,10613
< // write the gallery image to a jpeg file //
< try? GameGalleryView.GallerySnapshot().representation(using:NSBitmapImageRep.FileType.jpeg,
< properties:[:])!.write(to:
< URL(fileURLWithPath:Filename), options
< :[.atomic])
- - -

> // take a snapshot of the gallery view //
> GameGalleryView.TakeSnapshot()
>

> // write the image to a jpeg file //
> try? NSBitmapImageRep(cgImage:GameGalleryView.SnapshotBitmap.cgImage!).representation(using:
> NSBitmapImageRep.FileType.jpeg, properties:[:])!.write(to:
> URL(fileURLWithPath:Filename), options:[.atomic])
10743c10645,10646
< PrepareToWriteAMovie(CGBoardSize[2], VidHeight:CGBoardSize[2])
- - -

> PrepareToWriteAMovie(frame.size.width * CGFloat(MovieSize) / 100.0, VidHeight:
> frame.size.height * CGFloat(MovieSize) / 100.0) 10794c10697

< CGContexts[3].draw(CGLayersBoardWithPieces[3], in:ViewBounds)
- - -

> CGContexts[2].draw(CGLayersBoardWithPieces[2], in:ViewBounds)
10800c10703

< CGContexts[3].draw(DiagramLayer, in:ViewBounds)
- - -

> CGContexts[2].draw(DiagramLayer, in:ViewBounds)
10804c10707

< SnapshotImageRep = NSBitmapImageRep(cgImage:CGContexts[3].makeImage()!)
- - -

> SnapshotImageRep = NSBitmapImageRep(cgImage:CGContexts[2].makeImage()!)
10811c10714,10715
< .write(to:URL(fileURLWithPath:Filename), options:[.atomic])
- - -

> .write(to:URL(fileURLWithPath:Filename), options:
> [.atomic])
12178,12183c12082,12087
<

< // stop the gallery review timer //
< GalleryReviewTimer.invalidate()
<

< // erase the game gallery view //
< GameGalleryView.EraseGallery()
- - -

>

> // remove the tracking rectangle from the gallery view //
> GameGalleryView.removeTrackingRect(GameGalleryView.TrackingRectangle)
>

> // stop the gallery view animation //
> GameGalleryView.StopAnimation()
12192a12097,12105
>

> // erase all the gallery view shapes //
> GameGalleryView.EraseShapes()
>

> // reset the gallery view image to empty //
> GameGalleryView.Image = GameGalleryView.Context.makeImage()!
>

> // set the gallery view animation layer contents to empty //
> GameGalleryView.AnimationLayer.contents = GameGalleryView.Image
12361a12275,12277
>

> // update the user preference for the movie size //
> AppPreferences.set(MovieSize, forKey:"MovieSize")
12376,12382c12292,12298
< // loop over the first three board sizes //
< for Set in 0 ... 2
< {
< // draw the board image into the given context //
< CGLayersBoard[Set].context?.draw(CGImageFromBoardLayer(), in:CGRect(x:0, y:0, width:
< CGBoardSize[Set] * Scale, height:CGBoardSize[Set] * Scale))
< }
- - -

> // draw the board image into the small context //
> CGLayersBoard[0].context?.draw(CGImageFromBoardLayer(), in:CGRect(x:0, y:0, width:
> CGBoardSize[0] * Scale, height:CGBoardSize[0] * Scale))
>

> // draw the board image into the medium context //
> CGLayersBoard[1].context?.draw(CGImageFromBoardLayer(), in:CGRect(x:0, y:0, width:
> CGBoardSize[1] * Scale, height:CGBoardSize[1] * Scale)) 12389,12390c12305,12306
< return TextField.replacingOccurrences(of:"\"", with:"").replacingOccurrences(of:"\n",with:" ")
< .trimmingCharacters(in:CharacterSet.whitespacesAndNewlines)
- - -

> return TextField.replacingOccurrences(of:"\"", with:"").replacingOccurrences(of:"\n",
> with:" ").trimmingCharacters(in:CharacterSet.whitespacesAndNewlines) 12513,12521c12429,12430
< // if have selected a new position in the game gallery //
< if Int(GameGallerySlider.intValue) != GameGalleryView.CurrentPosition
< {
< // set the current position to the selected one from the game gallery slider //
< GameGalleryView.CurrentPosition = Int(GameGallerySlider.intValue)
<

< // update the game gallery view //
< GameGalleryView.UpdateGallery()
< }
- - -

> // update the game gallery view //
> GameGalleryView.UpdateGalleryView(CGFloat(GameGallerySlider.doubleValue))
12532,12533c12441,12442
< .FrameSize * CGFloat(BoolToInt(GameGalleryView.Wraparound) + 1)
< + 25))
- - -

> .FrameWidth * CGFloat(BoolToInt(GameGalleryView.Wraparound)
> + 1) + 25))
12537,12538c12446,12447
< .FrameSize * CGFloat(BoolToInt(GameGalleryView.Wraparound) +
< 1))
- - -

> .FrameWidth * CGFloat(BoolToInt(GameGalleryView.Wraparound)
> + 1))
12548a12458,12460
> // set the game gallery slider maximum value //
> GameGallerySlider.maxValue = 1
>

12550c12462

< GameGallerySlider.intValue = 0
- - -

> GameGallerySlider.doubleValue = 0
12557,12559d12468
<

< // initialize the game gallery view //
< GameGalleryView.Initialize(CGBoardSize[1])
12560a12470,12472
> // create the game gallery image //
> GameGalleryView.CreateGalleryImage(FrameCount:MoveList.count + 1)
>

12564,12568c12476,12480
< // update the game gallery slider maximum value //
< GameGallerySlider.maxValue = Double(GameGalleryView.MaxPosition)
<

< // update the gallery //
< GameGalleryView.UpdateGallery()
- - -

> // finish up the gallery image //
> GameGalleryView.FinishUpGalleryImage()
>

> // update the game gallery view //
> GameGalleryView.UpdateGalleryView(CGFloat(GameGallerySlider.doubleValue))
12667c12579

< ImageToLayer(ChessBoardImages[BoardType], Layer:CGLayerBoardType, Size:CGBoardSize[3] *
- - -

> ImageToLayer(ChessBoardImages[BoardType], Layer:CGLayerBoardType, Size:CGBoardSize[2] *
13211a13124,13129
> // update the movie size slider frame //
> MovieSizeSlider.frame = NSMakeRect(30, 585, 600, 13)
>

> // update the movie size text view frame //
> MovieSizeView.frame = NSMakeRect(30, 567, 600, 20)
>

13213c13131

< MovieFPSSlider.frame = NSMakeRect(30, 585, 600, 13)
- - -

> MovieFPSSlider.frame = NSMakeRect(30, 535, 600, 13)
13216c13134

< MovieFPSView.frame = NSMakeRect(30, 567, 600, 20)
- - -

> MovieFPSView.frame = NSMakeRect(30, 517, 600, 20)
13268a13187,13192
> // update the movie size slider state //
> MovieSizeSlider.isHidden = State

>

> // update the movie size view state //
> MovieSizeView.isHidden = State

>

13368c13292,13293
< FontState:true, BackgroundState:true, BoardState:true, MovieState:true)
- - -

> FontState:true, BackgroundState:true, BoardState:true, MovieState:
> true)
13376c13301,13302
< FontState:true, BackgroundState:true, BoardState:true, MovieState:true)
- - -

> FontState:true, BackgroundState:true, BoardState:true, MovieState:
> true)
13392c13318,13319
< FontState:true, BackgroundState:true, BoardState:true, MovieState:false)
- - -

> FontState:true, BackgroundState:true, BoardState:true, MovieState:
> false)
13400c13327,13328
< FontState:true, BackgroundState:true, BoardState:false, MovieState:true)
- - -

> FontState:true, BackgroundState:true, BoardState:false, MovieState:
> true)
13408c13336,13337
< FontState:true, BackgroundState:false, BoardState:true, MovieState:true)
- - -

> FontState:true, BackgroundState:false, BoardState:true, MovieState:
> true)
13416c13345,13346
< FontState:false, BackgroundState:true, BoardState:true, MovieState:true)
- - -

> FontState:false, BackgroundState:true, BoardState:true, MovieState:
> true)
13424,13425c13354,13355
< #selector(GreenChess.ThePreferencesMenuItemAction), userInfo:nil, repeats:
< false), forMode:RunLoop.Mode.common)
- - -

> #selector(GreenChess.ThePreferencesMenuItemAction), userInfo:nil,
> repeats:false), forMode:RunLoop.Mode.common)
13824c13754

< Attributes.PositionImage = NSImageFromCGLayer(3, Size:CGBoardSize[3])
- - -

> Attributes.PositionImage = NSImageFromCGLayer(2, Size:CGBoardSize[2])
13836c13766

< SavedPositionImages.append(NSImageFromCGLayer(3, Size:CGBoardSize[3]))
- - -

> SavedPositionImages.append(NSImageFromCGLayer(2, Size:CGBoardSize[2]))
14923a14854,14856
>

> // set the game gallery view animation rate //
> GameGalleryView.SetAnimationRate(GalleryAnimationRate)
14996a14930,14943
> // update the movie size //
> @IBAction func UpdateMovieSize(_:AnyObject)
> {
> // if the movie size is different //
> if MovieSizeSlider.intValue != MovieSize
> {
> // get the movie size from the movie size slider //
> MovieSize = Int(MovieSizeSlider.intValue)
>

> // display the movie size //
> DisplayMovieSize()
> }
> }
>

15005a14953,14959
>

> // display the movie size //
> func DisplayMovieSize()
> {
> // set the movie size view to show the movie size //
> MovieSizeView.stringValue = "Movie size is \(MovieSize)%"
> }
15834c15788,15789
< PGNMovesTableView.scrollRowToVisible(min(PGNMovesList.count * 2, PGNMovesData.MaxRows) - 1)
- - -

> PGNMovesTableView.scrollRowToVisible(min(PGNMovesList.count * 2, PGNMovesData.MaxRows) -
> 1)
16441,16442c16396,16407
< // go left one frame in the game gallery //
< GameGalleryView.GoLeft()
- - -

> // if currently animating //
> if GameGalleryView.Animating
> {
> // stop the animation //
> GameGalleryView.StopAnimation()
> }
> // not currently animating //
> else
> {
> // go left one frame in the game gallery //
> GameGalleryView.Animate(false)
> }
16448,16449c16413,16424
< // go right one frame in the game gallery //
< GameGalleryView.GoRight()
- - -

> // if currently animating //
> if GameGalleryView.Animating
> {
> // stop the animation //
> GameGalleryView.StopAnimation()
> }
> // not currently animating //
> else
> {
> // go right one frame in the game gallery //
> GameGalleryView.Animate(true)
> }
16537,16538c16512,16513
< // update the game gallery undo path button state //
< GameGalleryUndoPath.isEnabled = State
- - -

> // update the game gallery undo shape button state //
> GameGalleryUndoShape.isEnabled = State
16557,16563d16531
< // go right in the game gallery for the game review //
< @objc func GoRight()
< {
< // go right in the game gallery for the game review //
< GameGalleryView.GoRight()
< }
<

16567,16571c16535,16536
< // invalidate the gallery diagram path //
< GameGalleryView.ValidPath = false
<

< // if the game gallery review maximum position is zero //
< if GameGalleryView.MaxPosition == 0
- - -

> // if animating and not reviewing //
> if !GameGalleryView.Reviewing && GameGalleryView.Animating
16573c16538,16541
< // return since there is nothing to do a gallery review on //
- - -

> // stop the gallery view animation //
> GameGalleryView.StopAnimation()
>

> // exit function //
16576,16577c16544,16551
<

< // if currently reviewing the game gallery //
- - -

>

> // switch the gallery view reviewing state //
> GameGalleryView.Reviewing = !GameGalleryView.Reviewing
>

> // stop the gallery animation //
> GameGalleryView.StopAnimation()
>

> // if currently reviewing the gallery //
16580,16599c16554,16555
< // stop the game gallery review timer //
< GalleryReviewTimer.invalidate()
<

< // set that no longer reviewing the game gallery //
< GameGalleryView.Reviewing = false
< }
< // not currently reviewing the game gallery //
< else
< {
< // create the gallery review timer //
< GalleryReviewTimer = Timer.scheduledTimer(timeInterval:0.5 + Double(100 -
< GalleryAnimationRate) / 35.0, target:self,
< selector:#selector(GreenChess.GoRight),
< userInfo:nil, repeats:true)
<

< // add the gallery review timer to the main run loop //
< RunLoop.current.add(GalleryReviewTimer, forMode:RunLoop.Mode.common)
<

< // set that currently reviewing the game gallery //
< GameGalleryView.Reviewing = true
- - -

> // go right in the game gallery view //
> GameGalleryRightAction(self)
16601,16606d16556
<

< // update the game gallery view cursor //
< GameGalleryView.UpdateCursor()
<

< // update the gallery buttons states //
< SetGalleryButtonsToState(!GameGalleryView.Reviewing)
16762c16712,16713
< UpdateCastleItemLabel(WhiteKingsideCastleToolbarButton, On:WhiteKingsideCastle, Kingside:true)
- - -

> UpdateCastleItemLabel(WhiteKingsideCastleToolbarButton, On:WhiteKingsideCastle, Kingside:
> true)
16769c16720,16721
< UpdateCastleItemLabel(BlackKingsideCastleToolbarButton, On:BlackKingsideCastle, Kingside:true)
- - -

> UpdateCastleItemLabel(BlackKingsideCastleToolbarButton, On:BlackKingsideCastle, Kingside:
> true)
17189c17141

< GameGalleryView.AddFrame(FrameNumber, Layer:CGLayersBoardWithPieces[1])
- - -

> GameGalleryView.AddFrame(FrameNumber)
17391c17343

< // update the pieces layer for the annotation/gallery size //
- - -

> // update the pieces layer for the annotation size //
17394,17400c17346
< // if recording a movie //
< else if RecordingMovie
< {
< // update the board with pieces layer for the game movie board size //
< UpdateBoardWithPiecesLayer(2)
< }
< // not in the game gallery, recording game movie, or annotating //
- - -

> // not in the game gallery or annotating //
17404c17350

< UpdateBoardWithPiecesLayer(3)
- - -

> UpdateBoardWithPiecesLayer(2)
17406,17407c17352,17357
< // set that need to update the display //
< displayIgnoringOpacity(bounds)
- - -

> // if not recording a movie //
> if !RecordingMovie
> {
> // set that need to update the display // > displayIgnoringOpacity(bounds)
> }